




MANCAIS MONOBLOCOS







CATÁLOGO ROLAMENTOS



Unidade de Rolamento Nº	Diâmetro do Furo d		Dimensões (Polegadas) ou (mm)									Rolamento Nº	Alojamento Nº	Peso (kg)
	Poleg.	mm	a	e	i	b	g	L	N	E	S			
UCFL 201 201-8 202 202-10 203 203-11	1/2 5/8 11/16	12 15 17	3.8976 99	3.0000 76.2	0.5906 15	2.2441 57	0.4331 11	1.0039 25.5	0.4528 11.5	1.3110 33.3	0.5000 12.7	UC 201 201-8 202 202-10 203 203-11	FL 203	0.56
UCFL 204 204-12	3/4	20	4.4488 113	3.5433 90	0.5906 15	2.3622 60	0.4331 11	1.0039 25.5	0.4724 12	1.3110 33.3	0.5000 12.7	UC 204 204-12	FL 204	0.52
UCFL 205 205-14 202-15 202-16	7/8 15/16 1	25	5.1181 130	3.8976 99	0.6299 16	2.6772 68	0.5118 13	1.0630 27	10.6299 16	1.4094 35.8	0.5630 14.3	UC 205 205-14 202-15 202-16	FL 205	0.64
UCFL 206 206-17 206-18 206-19 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	5.8268 148	4.6063 117	0.7087 18	3.1496 80	0.5118 13	1.2205 31	0.6299 16	1.5827 40.2	0.6260 15.9	UC 206 206-17 206-18 206-19 206-20	FL 206	0.93
UCFL 207 207-20 207-21 207-22 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	6.3386 161	5.1181 130	0.7480 19	3.5433 90	0.5906 15	1.3386 34	0.6299 16	1.7480 44.4	0.6890 17.5	UC 207 207-20 207-21 207-22 207-23	FL 207	1.20
UCFL 208 208-24 208-25	1-1/2 1-9/16	40	6.8898 175	5.6693 144	0.8268 21	3.9370 100	0.5906 15	1.4173 36	0.6299 16	2.0157 51.2	0.7480 19.0	UC 208 208-24 208-25	FL 208	1.59
UCFL 209 209-26 209-27 209-28	1-5/8 1-11/16 1-3/4	45	7.4016 188	5.8268 148	0.8661 22	4.2520 108	0.6299 16	1.4961 38	0.7480 19	2.0551 52.2	0.7480 19.0	UC 209 209-26 209-27 209-28	FL 209	1.81
UCFL 210 210-29 210-30 210-31 210-32	1-13/16 1-7/8 1-15/16 2	50	7.7559 197	6.1811 157	0.8661 22	4.5276 115	0.6299 16	1.5748 40	0.7480 19	2.1496 54.6	0.7480 19.0	UC 210 210-29 210-30 210-31 210-32	FL 210	2.15
UCFL 211 211-32 211-33 211-34 211-35	2 2-1/16 2-1/8 2-3/16	55	8.8199 224	7.2441 184	0.9842 25	5.1181 130	0.7087 18	1.6929 43	0.7480 19	2.2992 58.4	0.874 22.2	UC 211 211-32 211-33 211-34 211-35	FL 211	3.10
UCFL 212 212-36 212-37 212-38 212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	9.8425 250	7.9528 202	1.1417 29	5.5118 140	0.7087 18	1.8898 48	0.9055 23	2.7047 68.7	1.0000 25.4	UC 212 212-36 212-37 212-38 212-39	FL 212	3.99
UCFL 213 213-40 213-41	2-1/2 2-9/16	65	10.157 258	8.2677 210	2.1811 30	6.1024 155	0.8661 22	1.9685 50	0.9055 23	1.7441 69.7	1.0000 25.4	UC 213 213-40 213-41	FL 213	4.96
UCFL 214 214-42 214-43 214-44	2-5/8 2-11/16 2-3/4	70	10.433 265	8.5039 216	1.2205 31	6.2992 160	0.8661 22	2.1260 54	0.9055 23	2.9685 75.4	1.1890 30.2	UC 214 214-42 214-43 214-44	FL 214	5.60
UCFL 215 215-45 215-46 215-47 215-48	2-13/16 2-7/8 2-15/16 3	75	10.827 275	8.8553 225	1.3386 34	6.4961 165	0.8661 22	2.2047 56	0.9055 23	3.0906 78.5	1.3110 33.3	UC 215 215-45 215-46 215-47 215-48	FL 215	6.21
UCFL 216 216-50	3-1/8	80	11.417 290	9.1733 233	1.3386 34	7.0866 180	0.8661 22	2.2835 58	0.9842 25	3.2795 83.3	vv1.3110 33.3	UC 216 216-50	FL 216	7.69
UCFL 217 217-52	3-1/4	85	12.008 305	9.7638 248	1.4173 36	7.4803 190	0.9449 24	2.4803 63	0.9842 25	3.4488 87.6	1.3425 34.1	UC 217 217-52	FL 217	9.15
UCFL 218 218-56	3-1/2	90	12.598 320	10.433 265	1.5748 40	8.0709 205	0.9449 24	2.6772 68	0.9842 25	3.7913 96.3	1.5630 39.7	UC 218 218-56	FL 218	10.95




CATÁLOGO ROLAMENTOS



Unidade de Rolamento Nº	Diâmetro do Furo		Dimensões (Polegadas) ou (mm)															Rolamento Nº	Alojamento Nº	Peso (kg)
	d		w	h	g	b	N	q	o	a	e	p	j	k	L	B	s			
	Poleg.	mm																		
UCT 201 201-8 202 202-10 203 203-11	1/2 5/8 11/16	12 15 17	3.7008 94 61	2.4016 61 10	0.3937 10 10	2.0079 51 51	0.7480 19 19	1.2598 32 32	0.6299 16 16	3.5039 89 89	2.9921 76 76	2.0079 51 51	1.2598 32 32	0.4724 12 12	0.8268 21 21	1.2205 31.0 31.0	0.5000 12.7 12.7	UC 201 201-8 202 202-10 203 203-11	T 204	0.93
UCT 204 204-12	3/4	20	3.7008 94	2.4016 61	0.3937 10	2.0079 51	0.7480 19	1.2598 32	0.6299 16	3.5039 89	2.9921 76	2.0079 51	1.2598 32	0.4724 12	0.8268 21	1.2205 31.0	0.5000 12.7	UC 204 204-12	T 204	0.89
UCT 205 205-14 202-15 202-16	7/8 15/16 1	25	1.8159 97	2.4409 62	0.3937 10	2.0079 51	0.7480 19	1.2598 32	0.6299 16	3.5039 89	2.9921 76	2.0079 51	1.2598 32	0.4724 12	0.9449 24	1.3425 34.1	0.5630 14.3	UC 205 205-14 202-15 202-16	T 205	0.99
UCT 206 206-17 206-18 206-19 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	4.4488 113	2.7559 70	0.3937 10	2.2441 57	0.8661 22	1.4567 37	0.6299 16	4.0157 102	3.5039 89	2.2047 56	1.4567 37	0.4724 12	1.1024 28	1.5000 38.1	0.6260 15.9	UC 206 206-17 206-18 206-19 206-20	T 206	1.46
UCT 207 207-20 207-21 207-22 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	5.0787 129	3.0709 78	0.5118 13	2.5197 64	0.8661 22	1.4567 37	0.6299 16	4.0157 102	3.5039 89	2.5197 64	1.4567 37	0.4724 12	1.1811 30	1.6890 42.9	0.6890 17.5	UC 207 207-20 207-21 207-22 207-23	T 207	1.81
UCT 208 208-24 208-25	1-1/2 1-9/16	40	5.6693 144	3.4646 88	0.6299 16	3.2677 83	1.1417 29	1.9291 49	0.7480 19	4.4882 114	4.0157 102	3.2677 83	1.9291 49	0.6299 16	1.2992 33	1.9370 49.2	0.7480 19.0	UC 208 208-24 208-25	T 208	2.68
UCT 209 209-26 209-27 209-28	1-5/8 1-11/16 1-3/4	45	5.6693 144	3.4252 87	0.6299 16	3.2677 83	1.1417 29	1.9291 49	0.7480 19	4.6063 117	4.0157 102	3.2677 83	1.9291 49	0.6299 16	1.3780 35	1.9370 49.2	0.7480 19.0	UC 209 209-26 209-27 209-28	T 209	2.99
UCT 210 210-29 210-30 210-31 210-32	1-13/16 1-7/8 1-15/16 2	50	5.8661 149	3.5433 90	0.6299 16	3.3858 86	1.1417 29	1.9291 49	0.7480 19	4.6063 117	4.0157 102	3.2677 83	1.9291 49	0.6299 16	1.4567 37	2.0315 51,6	0.7480 19.0	UC 210 210-29 210-30 210-31 210-32	T 210	2.98
UCT 211 211-32 211-33 211-34 211-35	2 2-1/16 2-1/8 2-3/16	55	6.7323 171	1.1732 106	0.7480 19	3.7402 95	1.3780 35	2.5197 64	0.9842 25	5.7480 146	5.1181 130	4.0157 102	2.5197 64	0.8661 22	1.4961 38	2.1890 55.6	0.8740 22.2	UC 211 211-32 211-33 211-34 211-35	T 211	4.51
UCT 212 212-36 212-37 212-38 212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	7.6378 194	4.6850 119	0.7480 19	4.0157 102	1.3780 35	2.5197 64	1.2598 32	5.7480 146	5.1181 130	4.0157 102	2.5197 64	0.8661 22	1.6535 42	2.5630 65.1	1.0000 25.4	UC 212 212-36 212-37 212-38 212-39	T 212	5.57
UCT 213 213-40 213-41	2-1/2 2-9/16	65	8.8189 224	5.3937 137	0.8268 21	4.7638 121	1.6142 41	2.7559 70	1.2598 32	6.5748 167	5.9449 151	4.3701 111	2.7559 70	1.0236 26	1.7323 44	2.5630 65.1	1.0000 25.4	UC 213 213-40 213-41	T 213	7.40
UCT 214 214-42 214-43 214-44	2-5/8 2-11/16 2-3/4	70	8.8189 224	5.3937 137	0.8268 21	4.7638 121	1.6142 41	2.7559 70	1.2598 32	6.5748 167	5.9449 151	4.3701 111	2.7559 70	1.0236 26	1.8110 46	2.9370 74.6	1.1890 30.2	UC 214 214-42 214-43 214-44	T 214	7.66
UCT 215 215-45 215-46 215-47 215-48	2-13/16 2-7/8 2-15/16 3	75	9.1338 232	5.5118 140	0.8268 21	4.7638 121	1.6142 41	2.7559 70	1.2598 32	6.5748 167	5.9449 151	4.3701 111	2.7559 70	1.0236 26	1.8898 48	3.0630 77.8	1.3110 33.3	UC 215 215-45 215-46 215-47 215-48	T 215	8.29
UCT 216 216-50	3-1/8	80	9.2520 235	5.5118 140	0.8268 21	4.7638 121	1.6142 41	2.7559 70	1.2598 32	7.2441 184	6.4961 165	4.3701 111	2.7559 70	1.0236 26	2.0079 51	3.2520 82.16	1.3110 33.3	UC 216 216-50	T 216	9.32
UCT 217 217-52	3-1/4	85	10.236 260	6.3780 162	1.1417 29	6.1811 157	1.8898 48	2.8740 73	1.4961 38	7.5953 198	6.8110 173	4.8819 124	2.8740 73	1.1811 30	2.1260 54	3.3740 85.7	1.3425 34.1	UC 217 217-52	T 217	11.96
UCT 218 218-56	3-1/2	90	10.827 275	6.6929 170	1.1811 30	5.5118 140	1.8898 48	3.1496 80	1.5748 40	8.4646 215	7.4803 190	5.1181 130	3.1496 80	1.1811 30	2.1654 55	3.7795 96	1.5638 19.7	UC 218 218-56	T 218	14.73





CATÁLOGO ROLAMENTOS



Unidade de Rolamento Nº	Diâmetro do Furo		Dimensões (Polegadas) ou (mm)									Rolamento Nº	Alojamento Nº	Peso (kg)
	d		h	a	e	b	N	g	w	S	B			
	Poleg.	mm												
SAPP 201 201-8 202 202-10 203 203-11	1/2 5/8 11/16	12 15 17	0.8740 22.2	3.3858 86	2.6772 68	0.9842 25	0.3740 9.5	0.1260 3.2	0.7244 43.8	0.2362 6.0	1.1250 28.6	SA 201 201-8 202 202-10 203 203-11	PP 203	0.21
SAPP 204 204-12	3/4	20	1.0000 25.4	3.8583 98	2.9921 76	1.2598 32	0.3740 9.5	0.1260 3.2	1.9882 50.5	0.2756 7.0	1.2205 31	SA 204 204-12	PP 204	0.27
SAPP 205 205-14 202-15 202-16	7/8 15/16 1	25	1.1260 28.6	4.2520 108	3.3858 86	1.2598 32	0.4528 11.5	0.1575 4.0	2.2883 56.6	0.2953 7.5	1.2205 31	SA 205 205-14 202-15 202-16	PP 205	0.34
SAPP 206 206-17 206-18 206-19 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	1.3110 33.3	4.6063 117	3.7402 95	1.4961 38	0.4528 11.5	0.1575 4.0	2.6102 66.3	0.3150 8.0	1.4055 35.7	SA 206 206-17 206-18 206-19 206-20	PP 206	0.52
SAPP 207 207-20 207-21 207-22 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	1.5630 39.7	5.0787 129	4.1732 106	1.6535 42	0.4528 11.5	0.1811 4.6	3.0709 78.0	0.3346 8.5	1.5315 38.9	SA 207 207-20 207-21 207-22 207-23	PP 207	0.73





CATÁLOGO ROLAMENTOS



Unidade de Rolamento Nº	Diâmetro do Furo		Dimensões (Polegadas) ou (mm)								Rolamento Nº	Alojamento Nº	Peso (kg)
	d		a	e	g	N	L	H	S	B			
	Poleg.	mm											
SAPFT 201 201-8 202 202-10 203 203-11	1/2 5/8 11/16	12 15 17	3.1890 81	2.4803 63	0.1575 4.0	0.2756 7	0.5512 14	1.1417 29	0.2362 6.0	1.1260 28.6	SA 201 201-8 202 202-10 203 203-11	PFT 203	0.24
SAPFT 204 204-12	3/4	20	3.5443 90	2.7953 71	0.1575 4.0	0.3543 9	0.6693 17	1.2992 33	0.2756 7.0	1.2205 31.0	SA 204 204-12	PFT 204	0.31
SAPFT 205 205-14 202-15 202-16	7/8 15/16 1	25	3.7402 95	2.9921 76	0.1575 4.0	0.3543 9	0.7087 18	1.3780 35	0.2953 7.5	1.2205 31.0	SA 205 205-14 202-15 202-16	PFT 205	0.37
SAPFT 206 206-17 206-18 206-19 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	4.4448 113	3,5433 90	0.2047 5.2	0.4331 11	0.7480 19	1.4961 38	0.3150 8.0	1.4055 35.7	SA 206 206-17 206-18 206-19 206-20	PFT 206	0.60
SAPFT 207 207-20 207-21 207-22 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	14.8031 122	3.9370 100	0.2047 5.2	0.4331 11	0.8268 21	1.7323 44	0.3346 8.5	1.5315 38.9	SA 207 207-20 207-21 207-22 207-23	PFT 207	0.90
SAPFT 208 208-24 208-25	1-1/2 1-9/16	40	5.8268 148	4.6850 119	0.2677 6.8	0.5512 14	0.8268 21	1.9685 50	0.3543 9.0	1.7205 43.7	SA 208 208-24 208-25	PFT 208	1.16





CATÁLOGO ROLAMENTOS



Unidade de Rolamento Nº	Diâmetro do Furo		Dimensões (Polegadas) ou (mm)								Rolamento Nº	Alojamento Nº	Peso (kg)
	d		a	e	g	N	L	b	S	B			
	Poleg.	mm											
SBPFL 201 201-8 202 202-10 203 203-11	1/2 5/8 11/16	12 15 17	3.12890 81	2.5000 63.5	0.1575 4.0	0.2756 7	0.5512 14	2.3228 59	0.2362 6.0	0.8661 22	SB 201 201-8 202 202-10 203 203-11	PFL 203	0.17
SBPFL 204 204-12	3/4	20	3.543 90	2.8150 71.5	0.1575 4.0	0.3543 9	0.6299 16	2.6378 67	0.2756 7.0	0.9842 25	SB 204 204-12	PFL 204	0.24
SBPFL 205 205-14 202-15 202-16	7/8 15/16 1	25	3.7402 95	2.9921 76	0.1575 4.0	0.3543 9	0.7087 18	2.7953 71	0.2953 7.5	1.0630 27	SB 205 205-14 202-15 202-16	PFL 205	0.30
SBPFL 206 206-17 206-18 206-19 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	4.4488 113	3.5630 90.5	0.2047 5.2	0.4331 11	0.7480 19	3.3071 84	0.3150 8.0	1.1811 30	SB 206 206-17 206-18 206-19 206-20	PFL 206	0.45
SBPFL 207 207-20 207-21 207-22 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	4.9213 125	3.9370 100	0.2047 5.2	0.4331 11	0.8661 22	3.7008 94	0.3346 8.5	1.2598 32	SB 207 207-20 207-21 207-22 207-23	PFL 207	0.59
SBPFL 208 208-24 208-25	1-1/2 1-9/16	40	5.8268 148	4.6850 119	0.2677 6.8	0.5512 14	0.9055 23	4.3307 110	0.3453 9.0	1.3366 34	SB 208 208-24 208-25	PFL 208	0.84





CATÁLOGO ROLAMENTOS



Unidade de Rolamento Nº	Diâmetro do Furo		Dimensões (Polegadas) ou (mm)								Rolamento Nº	Alojamento Nº	Peso (kg)
	d		a	e	i	g	L	N	P	S			
	Poleg.	mm											
UCF 201 201-8 202 202-10 203 203-11	1/2 5/8 11/16	12 15 17	3.3858 86	2.5197 64	0.5906 15	0.4331 11	1.0039 25.5	0.4724 12	1.3110 33.3	0.5000 12.7	UC 201 201-8 202 202-10 203 203-11	F 203	1.00
UCF 204 204-12	3/4	20	3.3558 86	2.5197 64	0.5906 15	0.4724 12	1.0030 25.5	0.4724 12	1.3110 33.3	0.5000 12.7	UC 204 204-12	F 204	0.95
UCF 205 205-14 202-15 202-16	7/8 15/16 1	25	3.7402 95	2.7559 70	0.6299 16	0.5512 14	1.0630 27	0.4724 12	1.4094 35.8	0.5630 14.3	UC 205 205-14 202-15 202-16	F 205	1.20
UCF 206 206-17 206-18 206-19 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	4.2520 108	3.2677 83	0.7987 18	0.5630 14.3	1.2205 31	0.4724 12	1.5827 40.2	0.6260 15.9	UC 206 206-17 206-18 206-19 206-20	F 206	1.89
UCF 207 207-20 207-21 207-22 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	4.6063 117	3.6220 92	0.7480 19	0.6063 15.5	1.3386 34	0.5512 14	1.7480 44.4	0.6890 17.5	UC 207 207-20 207-21 207-22 207-23	F 207	2.39
UCF 208 208-24 208-25	1-1/2 1-9/16	40	5.1181 130	4.0157 102	0.8268 21	0.6063 15.5	1.4173 36	0.6299 16	2.0157 51.2	0.7480 19.0	UC 208 208-24 208-25	F 208	2.79
UCF 209 209-26 209-27 209-28	1-5/8 1-11/16 1-3/4	45	5.3937 137	4.1338 105	0.8661 22	0.6890 17.5	1.4961 38	0.6299 16	2.0551 52.2	0.7480 19.0	UC 209 209-26 209-27 209-28	F 209	3.18
UCF 210 210-29 210-30 210-31 210-32	1-13/16 1-7/8 1-15/16 2	50	5.6299 143	4.3701 111	0.8661 22	0.6890 17.5	1.5748 40	0.6299 16	2.1496 54.6	0.7480 19.0	UC 210 210-29 210-30 210-31 210-32	F 210	3.68
UCF 211 211-32 211-33 211-34 211-35	2 2-1/16 2-1/8 2-3/16	55	6.3780 162	5.1181 130	0.9842 25	0.7677 19.5	1.6929 43	0.7480 19	2.2992 58.4	0.874 22.2	UC 211 211-32 211-33 211-34 211-35	F 211	3.40
UCF 212 212-36 212-37 212-38 212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	6.8898 175	5.6299 143	1.1417 29	0.7677 19.5	1.8898 48	0.7480 19	2.7047 68.7	1.0000 25.4	UC 212 212-36 212-37 212-38 212-39	F 212	4.17
UCF 213 213-40 213-41	2-1/2 2-9/16	65	7.3622 187	5.8661 149	1.1811 30	0.9055 23	1.9685 50	0.7480 19	2.7441 69.7	1.0000 25.4	UC 213 213-40 213-41	F 213	5.32
UCF 214 214-42 214-43 214-44	2-5/8 2-11/16 2-3/4	70	7.5984 193	5.9842 152	1.2205 31	0.9055 23	2.1260 54	0.7480 19	2.9685 75.4	1.1890 30.2	UC 214 214-42 214-43 214-44	F 214	5.92
UCF 215 215-45 215-46 215-47 215-48	2-13/16 2-7/8 2-15/16 3	75	7.8740 200	6.2598 159	1.3386 34	0.9055 23	2.2047 56	0.7480 19	3.0906 78.5	1.3110 33.3	UC 215 215-45 215-46 215-47 215-48	F 215	6.65
UCF 216 216-50	3-1/8	80	8.1890 208	6.4961 165	1.3386 34	0.9449 24	2.2835 58	0.9055 23	3.2795 83.3	1.3110 33.3	UC 216 216-50	F 216	7.89
UCF 217 217-52	3-1/4	85	8.6614 220	6.8898 175	1.4173 36	0.9842 25	2.4803 63	0.9055 23	3.4488 87.6	1.3425 34.1	UC 217 217-52	F 217	9.18
UCF 218 218-56	3-1/2	90	9.2520 235	7.322 187	1.5748 40	1.0236 26	2.6772 68	0.9055 23	3.7913 96.3	1.5630 39.7	UC 218 218-56	F 218	11.20



CATÁLOGO ROLAMENTOS



Unidade de Rolamento Nº	Diâmetro do Furo		Dimensões (Polegadas) ou (mm)										Rolamento Nº	Alojamento Nº	Peso (kg)
	Poleg.	mm	h	a	e	b	S ₁	S ₂	g	W	S	B			
UCP 201 201-8 202 202-10 203 203-11	1/2 5/8 11/16	12 15 17	1.1890 30.2	5.0000 127	3.7795 96	1.4173 36	0.5118 13	0.7480 19	0.5118 13	2.3622 60	0.5000 12.7	1.2205 31	UCP 201 201-8 202 202-10 203 203-11	P 203	0.75
UCP 204 204-12	3/4	20	1.3110 33.3	5.0000 127	3.7402 95	1.4961 38	0.5118 13	0.7480 19	0.5512 14	2.5590 65	0.5000 12.7	1.2205 31	UCP 204 204-12	P 204	0.73
UCP 205 205-14 202-15 202-16	7/8 15/16 1	25	1.4370 36.5	5.5118 140	4.1338 105	1.49612 38	0.5118 13	0.7480 19	0.5906 15	2.7953 71	0.5630 14.3	1.3425 34.1	UCP 205 205-14 202-15 202-16	P 205	0.91
UCP 206 206-17 206-18 206-19 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	1.6890 42.9	6.4961 165	4.7638 121	1.8898 48	0.6693 17	0.8268 21	0.6693 17	3.2677 83	0.6260 15.9	1.5000 38.1	UCP 206 206-17 206-18 206-19 206-20	P 206	1.32
UCP 207 207-20 207-21 207-22 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	1.8740 47.6	6.5748 167	5.0000 127	1.8898 48	0.6693 17	0.8268 21	0.7087 18	3.6614 93	0.6890 17.5	1.6890 42.9	UCP 207 207-20 207-21 207-22 207-23	P 207	1.72
UCP 208 208-24 208-25	1-1/2 1-9/16	40	1.9370 49.2	7.2441 184	5.3939 137	2.1260 54	0.6693 17	0.8268 21	0.7078 18	3.8583 98	0.7480 19.0	1.9370 49.2	UCP 208 208-24 208-25	P 208	2.14
UCP 209 209-26 209-27 209-28	1-5/8 1-11/16 1-3/4	45	2.1260 54.0	7.4803 190	5.7480 146	2.1260 54	0.6693 17	0.8268 21	0.7874 20	4.1732 106	0.7480 19.0	1.9370 49.2	UCP 209 209-26 209-27 209-28	P 209	2.45
UCP 210 210-29 210-30 210-31 210-32	1-13/16 1-7/8 1-15/16 2	50	2.2520 57.2	8.1102 206	6.2598 159	2.3622 60	0.7874 20	0.9842 25	0.8268 21	4.4882 114	0.7480 19.0	2.0315 51.6	UCP 210 210-29 210-30 210-31 210-32	P 210	3.10
UCP 211 211-32 211-33 211-34 211-35	2 2-1/16 2-1/8 2-3/16	55	2.5000 63.5	8.6220 219	6.7323 171	2.3622 60	0.7874 20	0.9842 25	0.9055 23	4.9606 126	0.8740 22.2	2.1890 55.6	UCP 211 211-32 211-33 211-34 211-35	P 211	3.85
UCP 212 212-36 212-37 212-38 212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	2.7480 69.8	9.4882 241	7.2441 184	2.7559 70	0.7874 20	0.9842 25	0.9842 25	5.4331 138	1.0000 25.4	2.5630 65.1	UCP 212 212-36 212-37 212-38 212-39	P 212	5.10
UCP 213 213-40 213-41	2-1/2 2-9/16	65	3.0000 76.2	10.394 264	7.9921 203	2.7559 70	0.9842 25	1.1811 30	1.0630 27	5.9449 151	1.0000 25.4	2.5630 65.1	UCP 213 213-40 213-41	P 213	6.26
UCP 214 214-42 214-43 214-44	2-5/8 2-11/16 2-3/4	70	3.1260 79.4	10.472 266	8.2677 210	2.8346 72	0.9842 25	1.1811 30	1.0630 27	6.1811 157	1.1890 30.2	2.9370 74.6	UCP 214 214-42 214-43 214-44	P 214	6.90
UCP 215 215-45 215-46 215-47 215-48	2-13/16 2-7/8 2-15/16 3	75	3.2520 82.6	10.827 275	8.5433 217	2.9134 74	0.9842 25	1.1811 30	1.1024 28	6.4173 163	1.3110 33.3	3.0630 77.8	UCP 215 215-45 215-46 215-47 215-48	P 215	7.62
UCP 216 216-50	3-1/8	80	3.5000 88.9	11.496 292	9.1338 232	3.0709 78	0.9842 25	1.1811 30	1.1811 30	6.8898 175	1.3110 33.3	3.2520 82.6	UCP 216 216-50	P 216	9.03
UCP 217 217-52	3-1/4	85	3.7480 95.2	12.205 310	9.7244 247	3.2677 83	0.9842 25	1.1811 30	1.2598 32	7.3622 187	1.3425 34.1	3.3740 85.7	UCP 217 217-52	P 217	11.28
UCP 218 218-56	3-1/2	90	4.0000 101.6	12.874 327	10.315 262	3.4646 88	1.0630 27	1.4173 36	1.2992 33	7.8740 200	1.5630 39.7	3.7795 96	UCP 218 218-56	P 218	13.45